

Heightened Spice Rack Pull Down Shelf

【PRODUCT NAME】

Heightened Spice Rack Pull Down Shelf

【PRODUCT DESCRIPTION】

The heightened spice rack pull down shelf is a chrome-plated two-tier pull-down shelf that brings hard-to-reach items down 10.8" while pulling out 10.8" from the cabinet. This functional pullout features a unique gas-assisted lifting/lowering mechanism that provides unparalleled stability through the entire range of motion. The Pull-Down Shelf includes both side and bottom mount brackets and is available for 24", 28", 32", and 36" wall cabinets.



DESIGN CONCEPT

This heightened spice pull-down shelf is an improved version of the spice pull-down shelf. To make the spice utensils more stable when pulling down, we have raised the height of the spice rack in the design, making the higher spice utensils more stable.




PRODUCT FEATURE


- :: **BRING IT TO YOU:** Bring dish and tableware to you with this convenient gas-assisted 2-tier cabinet pull-down locking shelving system that is capable of pulling down 10.8-inches and pulling 10.8 inches out of your cabinets.
- :: **EXTRA DURABILITY:** Heavy-gauge wire construction provides extra durability and elegance, and a storage solution for spices utensils.
- :: **EASY INSTALLATION:** Easily mounts to the floor or interior side of a wall cabinet, and is designed to fit in any wall cabinet with a width of 24", 28", 32", or 36".
- :: **DIMENSIONS:** (W x D x H): (22"-34")W x 11"D x 23"H.
- :: **INCLUDES:** one pull-down shelf system and mounting hardware.

PRODUCT SPECIFICATION

Frame Diagram



Basket Diagram



SKU	Product Name	Product Size (mm)	Cabinet Width (mm)	Material/ Surface Treatment	Net Weight (kg)
22.21.00201601	Heightened Spice Rack Pull Down Shelf	W560*H586*D275	600	Steel/Electroplating	6.60
22.21.00201701	Heightened Spice Rack Pull Down Shelf	W660*H586*D275	700	Steel/Electroplating	6.99
22.21.00201801	Heightened Spice Rack Pull Down Shelf	W760*H586*D275	800	Steel/Electroplating	7.35
22.21.00201901	Heightened Spice Rack Pull Down Shelf	W860*H586*D275	900	Steel/Electroplating	7.79

NOTES ON ORDERING





:: The main frame is chrome-plated. If you want stainless steel, please specify and customize the material separately.

:: This product is available in four sizes, which are suitable for 600, 700, 800, and 900 mm wide cabinets. Please specify the right size to fit the cabinet




INSTALLATION GUIDE

1. Accessories:

A Lifting Rod 	B Lifting Rod 	C-L Left Side Panel 	C-R Right Side Panel 	D-L Left Base Bracket 	D-R Right Base Bracket 	E*2pcs Pneumatic Rod 	F*2pcs connecting pin 	G*2pcs O-shape seal ring 
H handle 	I*4pcs rubber cushions 	J*8pcs axle sleeve 	K*12pcs ST4.0*16 	L*8pcs M6*12 	M*4pcs M6*20 	N*2pcs M6*30 	O*14pcs Flat Washer 	P*8pcs M4*5 
Q(Wire Basket) Wire Basket-V*2pcs 	Q(Wire Basket) Wire Basket-V1*1pcs each  With water tray	Q(Wire Basket) Wire Basket-V2*2pcs 	Q(Wire Basket) Wire Basket-V3*1pcs each 					


2.Recommended Cabinet Size:D280*W*H590




Cabinet Depth(mm)	Width(mm)
600	560~564
700	660~664
800	760~764
900	860~864

3. Installation Steps:


Step 1. Assemble the left and right base brackets (D-L,D-R) using 4 axle sleeves (J), 4 M6*20 screws (M) and 4 flat washer (O) as shown.




Step 2. Attach the lifting rods (A,B) to the left and right base brackets (D-L,D-R) as shown.




Step 3. Mount the assembled base brackets (step 2) to the side panel of the cabinet using 12 ST4.0*16 SCREWS (k) as shown.




Step 4. Attach two wire baskets (Q) and the handle (H) to the side panels (C-L,C-R) using 2 M6*30 screws (N), 2 flat washers (O) and 8 M4*5 screws (P) as shown.




Step 5. Mount the assembly (step 4) to the base brackets (step 3) using 4 axle sleeves (J), 8 M6*12 screws (L) and 8 flat washers (O) as shown.




Step 6. Mount 2 pneumatic rods (E) to the base brackets (D-L,D-R) using 2 connecting pins (F) and 2 O-shape seal rings (G) as shown.




Installation complete




Spice Rack
Pull Down Shelf



Heightened Spice Rack
Pull Down Shelf




Dish Rack
Pull Down Shelf




Multi-Functional
Pull Down Shelf

Step 7. Mount 4 rubber cushions (I) on the lifting rods (A,B) as shown.
(Attention: Please be careful and do not crush your fingers in this step.)



PACKING LIST



No.	Parts Name	Quantity
1	Left base bracket	1
2	Flat washer Ø8*25*1.5	12
3	M6*20 screw	4
4	Axle sleeve	8
5	Lifting rod A	1
6	Right base bracket	1
7	Lifting rod B	1
8	Pneumatic rod	2
9	Connecting pin	2
10	O-shaped seal ring	2
11	Screws M6*12	8
12	Baskets	1 set

SHIPPING INFORMATION

SKU	Sets/ CTN	Net Weight/ CTN (kg)	Gross Weight/ CTN (kg)	Package Size (mm)	Sets/ 20 GP	Sets/ 40 GP	Sets/ 40 HQ
22.21.00201601	1	6.60	7.00	540 * 350 * 120	1230	2550	2990
22.21.00201701	1	6.99	7.39	640 * 350 * 120	1040	2160	2530
22.21.00201801	1	7.35	7.75	740 * 350 * 120	900	1870	2190
22.21.00201901	1	7.79	8.19	840 * 350 * 120	790	1640	1930

The above container load quantity is a reference value.

