

# 52g Two Way 2 Hole Concealed Hinge



## 【PRODUCT NAME】

52g Two-Way 2 Holes Concealed Hinge

## 【PRODUCT DESCRIPTION】

This hinge is one of the most widely used cabinet hardware. According to installation methods, there are three types: full overlay hinge, half overlay hinge, and inserted hinge.

FULL  
OVERLAY



HALF  
OVERLAY



INSERTED



## QUALITY CONTROL


### 【KEY POINTS】

- :: Appearance: no defects such as rough plating, bubbles, pin holes, peeling, cracks, stains, discoloration, and partial absence of plating, etc. Slight oil stains on the hinge and the situation that non-major surfaces are slightly rough and uneven in color are permissible.
- :: Usability: No jamming or friction sound when opening and closing the hinge.
- :: Adjustability: The hinge can be adjusted in the range of  $\pm 2\text{mm}$  from front to back, left to right, and up to down.
- :: Opening Angle: The angle of the open hinge shall not be less than  $95^\circ$ .



# PRODUCT FEATURES

## 【PRODUCT FEATURES】






- :: Three types of 35Φ two way slide-on hinge: full overlay hinge, half overlay hinge, and inserted hinge. A customized logo is acceptable.
- :: High-quality steel and strengthened spring for long service life. The hinge is without dampers.
- :: Multi-layer nickel plating of the product surface with strong corrosion resistance and anti-oxidation ability.
- :: Accurate size and outstanding product consistency come from automated production lines.
- :: Suitable for use on the doors of cabinets.

# PRODUCT SPECIFICATIONS

Product Name	52g Two-Way 2 Holes Concealed Hinge
Type	Full overlay, half overlay, inserted
Material	Steel
Surface Treatment	Nickel plating
Diameter of Hinge Cup	35 mm
Opening Angle	95°
Door Thickness	14-24 mm
Optional Base	2 holes

SKU	Product Name	Net Weight (g)	Opening Angle
44.42.00000521	52g Two-Way 2 Holes Concealed Hinge- Full Overlay	52 $\pm$ 2	95°
44.42.00000522	52g Two-Way 2 Holes Concealed Hinge- Half Overlay	52 $\pm$ 2	95°
44.42.00000523	52g Two-Way 2 Holes Concealed Hinge- Inserted Overlay	52 $\pm$ 2	95°




# NOTES FOR ORDERING

- :: This type of Hinge is without dampers.
- :: OEM and customized logo are acceptable.



# INSTALLATION GUIDE



# SHIPPING INFORMATION

SKU	PC(s)/ CTN	Net Weight/ CTN (kg)	Gross Weight/ CTN (kg)	Package Size (mm)	Sets/ 20 GP	Sets/ 40 GP	Sets/ 40 HP
44.42.00000521	250	13	13.50	370*220*200	315000	426000	481500
44.42.00000522	250	13	13.55	370*220*225	314000	424000	480000
44.42.00000523	250	13	13.60	370*220*255	312500	423000	478000

The above container load quantity is the reference value.