



GUANGZHOU VENACE INTELLIGENT TECHNOLOGY INC.



GUANGZHOU VENACE INTELLIGENT TECHNOLOGY INC.

Building B3, No.162, Kexue Ave.,
Huangpu District, Guangzhou,
Guangdong Province, China 510530



Tel: +86-20-82303742
Fax: +86-20-82302487

Web: www.venace.com
Mail: sales@venace.com



EN Website



CN Website



Wechat

To Be the World Class Creator of Intelligent Home.
Concentration: Focus, Professionalize and Concentrate.

VENACE INTELLIGENT TECHNOLOGY INC.

VENACE INTELLIGENT TECHNOLOGY INC., founded in March 2011, is located in the heartland of China's economic development - Guangzhou Huangpu Science City, which is in the Pearl River Delta region, the most developed manufacturing industry chain in China. We specialize in furniture hardware, kitchen hardware, ironing boards, and laundry storage products. We have a perfect R&D system, automatic production lines and a perfect quality control system. Our team of industrial designers and engineers are always committed to innovating products to be more practical with better quality.

We have always advocated seeking out a style and character that matches our own rather than comparing or following others blindly. We focus on product development, perfect supply chain management, whole process cost control and quality control to allow our customers to benefit from the philosophy of "Better Life, Better Price".

After years of development, Venace has grown into a professional household products manufacturer that integrates product development, production, sales and service. At present, we have more than 150 patents, 8 trademarks and 8 copyrights. As a high-tech enterprise in Guangzhou, we have obtained the Guangzhou Innovation Fund and Guangdong Science and Technology Enterprise Innovation Fund. Now, Venace has customers and partners worldwide. Our team is expanding day by day. We hope to establish a long-term win-win relationship and bring value to you with our professionalism and cost-effective products.

Our Vision: To be the most competitive household products manufacturer.

Our Values:

1. Better Life, Better Price: we have always advocated seeking out a style and character that matches our own rather than comparing or following others blindly.
2. Efficient Operation: improve product cost performance through cost and quality control; reduce marketing costs through digital content marketing; get price advantages to benefit our customers;
3. Employee Value: provide employees with a healthy life and happy work through employee wellness care, growth care and value return; integrate employees' pursuit of a bright future and happy life into the company's development; realize the overall value of employees and shareholders.

Our Culture: Integrity, Responsibility, Pragmatism, Excellence.

50g Two-Way 2 Holes Short Arm Concealed Hinge

Product Description

This two-way slide-on short arm concealed hinge is a half overlay hinge.

High-quality steel and strengthened spring for long service life.


Nickel-plated finish with strong corrosion resistance and anti-oxidation ability.

This short arm hinge is without a hydraulic mechanism.

Designed for face frame cabinets and aluminum framed cabinets.



Details



Specification

Cup Diameter	35mm
Cup Depth	10.5mm
Hole Pitch	48mm
Material	Cold-rolled Steel
Finish	Nickel Plated
Base	Slide On
Angle of Opening	95° - 110°
Net Weight	50±2g
Door Thickness	14-24mm

Packaging Information

SKU	Type	PCS/CTN	Package Size	Gross Weight/CTN(kg)
44.42.00305102	Half Overlay	250	370*260*240 mm	13.00

58g One-Way 2 Holes Concealed Hinge

Product Description

This one-way slide-on concealed hinge is a full overlay hinge.

High-quality steel and strengthened spring for long service life.


Nickel-plated finish with strong corrosion resistance and antioxidation ability.

This one-way hinge is without a hydraulic mechanism.

Designed for frameless cabinets.



Details



Specification

Cup Diameter	35mm
Cup Depth	11mm
Hole Pitch	48mm
Material	Cold-rolled Steel
Finish	Nickel Plated
Base	Slide On
Angle of Opening	95°
Net Weight	58±2g
Door Thickness	14-24mm


Packaging Information

SKU	Type	PCS/CTN	Package Size	Gross Weight/CTN(kg)
44.42.00000501	Full Overlay	200	415*260*175mm	12.10


58g One-Way 4 Holes Concealed Hinge

Product Description

This one-way slide-on concealed hinge is a full overlay hinge. High-quality steel and strengthened spring for long service life. Nickel-plated finish with strong corrosion resistance and anti-oxidation ability. This one-way hinge is without a hydraulic mechanism. Designed for frameless style cabinets.



Details



Specification

Cup Diameter	35mm
Cup Depth	11mm
Hole Pitch	48mm
Material	Cold-rolled Steel
Finish	Nickel Plated
Base	Slide On
Angle of Opening	95°
Net Weight	58±2g
Door Thickness	14-24mm

Packaging Information

SKU	Type	PCS/CTN	Package Size	Gross Weight/CTN(kg)
44.42.00000511	Full Overlay	200	415*260*175mm	12.10

52g Two-Way 2 Holes Concealed Hinge

Product Description

Three types of 35Φ two way slide-on hinge: full overlay, half overlay, inserted.

High-quality steel and strengthened spring for long service life.

This one-way hinge is without a hydraulic mechanism.

Nickel-plated finish with strong corrosion resistance and anti-oxidation ability.

Accurate size and consistent quality guaranteed by automated production lines.

Suitable for use on the cabinet door.







Full overlay



Half overlay



Inserted



Specification

Cup Diameter	35mm
Cup Depth	10mm
Hole Pitch	48mm
Material	Cold-rolled Steel
Finish	Nickel Plated
Base	Slide On
Angle of Opening	95° - 110°
Net Weight	52±2g
Door Thickness	14-24mm

Packaging Information

SKU	Type	PCS/CTN	Package Size	Gross Weight/CTN(kg)
44.42.00000521	Full Overlay	250	370 * 220 * 200mm	13.50
44.42.00000522	Half Overlay	250	370 * 220 * 225mm	13.55
44.42.00000523	Inserted Overlay	250	370 * 220 * 255mm	13.60

72g Soft Close 4 Holes Concealed Hinge

Product Description

Three types of 35Φ fixed-type hydraulic hinge: full overlay hinge, half overlay hinge, and inserted hinge.

High-quality steel and strengthened spring for long service life.

The damper enables the door to close automatically at a certain angle.

Nickel-plated finish makes strong corrosion resistance and anti-oxidation ability.

Accurate size and consistent quality guaranteed by automated production lines.

Suitable for use on the cabinet door.




Full overlay



Half overlay



Inserted



Specification

Cup Diameter	35mm
Cup Depth	10mm
Hole Pitch	48mm
Material	Cold-rolled Steel
Finish	Nickel Plated
Base	Fixed Type
Angle of Opening	95°
Net Weight	72±2g
Door Thickness	14–24mm

Packaging Information

SKU	Type	PCS/CTN	Package Size	Gross Weight/CTN(kg)
44.42.00100731	Full Overlay	200	450*270*155mm	14.9
44.42.00100732	Half Overlay	200	450*270*155mm	14.9
44.42.00100733	Inserted Overlay	200	450*270*175mm	15.0


74g Soft Close 2 Holes Short Arm Concealed Hinge

Product Description

This soft close short arm concealed hinge is a full overlay hinge.
High-quality steel and strengthened spring for long service life.
Nickel-plated finish with strong corrosion resistance and anti-oxidation ability.
This short arm hinge is with a hydraulic mechanism.
Designed for frameless cabinets.



Details



Specification

Cup Diameter	35mm
Cup Depth	11mm
Hole Pitch	48mm
Material	Cold-rolled Steel
Finish	Nickel Plated
Base	Fixed Type
Angle of Opening	95°
Net Weight	74±2g
Door Thickness	14-24mm

Packaging Information

SKU	Type	PCS/CTN	Package Size	Gross Weight/CTN(kg)
44.42.00307401	Full Overlay	200	370*260*240 mm	15.10

74g Soft Close 4 Holes Butterfly Plate Concealed Hinge

Product Description

Three types of 35Φ fixed-type hydraulic hinge: full overlay hinge, half overlay hinge, and inserted hinge.

High-quality steel and strengthened spring for long service life.

The hydraulic mechanism makes the door self-closing when it is pushed to a certain angle

Nickel-plated finish with strong corrosion resistance and anti-oxidation ability.

Accurate size and consistent quality guaranteed by automated production lines.

Suitable for use on the cabinet door.




Full overlay



Half overlay



Inserted



Specification

Cup Diameter	35mm
Cup Depth	10mm
Hole Pitch	48mm
Material	Cold-rolled Steel
Finish	Nickel Plated
Base	Butterfly-shaped
Angle of Opening	95°
Net Weight	74±2g
Door Thickness	14-24mm

Packaging Information

SKU	PCS/CTN	PCS/CTN	Package Size	Gross Weight/CTN(kg)
44.42.00100711	Full Overlay	200	450*270*155mm	15.3
44.42.00100712	Half Overlay	200	450*270*155mm	15.3
44.42.00100713	Inserted Overlay	200	450*270*175mm	15.4


3-Section Ball Bearing Drawer Slides

Product Description

- 3-section ball-bearing full-extension drawer slide, various sizes from 12" to 24".
- 50-58 HRC hardness of the slide, and grade 3 or more roundness of solid steel balls for smooth operation.
- Assembled automatically under strict error control.
- Strong anti-oxidation ability with multi-layer electroplating.
- Suitable for office appliances, cabinets and household drawers.



18-inch diagram



Information

Type	3-Section Ball-bearing	Width	42±0.1mm
Material	Cold-rolled Steel	Length	300-600mm (12"-24")
Finish	Zinc-plated/Black-coated	Thickness	12.7±0.1mm
Color	Zinc/Black	Maximum Load	10kg-15kg

Specification

SKU	Size	A1	B1	A	B	C	D	E	F
44.41.00104312	12"	300	297	35	64	128	—	96	128
44.41.00104314	14"	350	347	35	64	96	64	128	128
44.41.00104316	16"	400	397	35	64	160	64	160	160
44.41.00104318	18"	450	447	35	64	192	64	160	192
44.41.00104320	20"	500	497	35	64	256	64	192	224
44.41.00104322	22"	550	547	35	64	288	64	224	224
44.41.00104324	24"	600	597	35	64	352	64	224	288


Packaging Information

SKU	Pairs/CTN	Net Weight	Gross Weight	Package Size
44.41.00104312	20	22.71lbs / 10.3kg	23.15lbs / 10.5kg	315 * 180 * 135mm
44.41.00104314	20	26.46lbs / 12kg	26.90lbs / 12.2kg	365 * 180 * 135mm
44.41.00104316	20	31.97lbs / 14.5kg	32.41lbs / 14.7kg	415 * 180 * 135mm
44.41.00104318	20	36.16lbs / 16.4kg	36.60lbs / 16.6kg	465 * 180 * 135mm
44.41.00104320	20	39.46lbs / 17.9kg	39.90lbs / 18.1kg	515 * 180 * 135mm
44.41.00104322	20	41.67lbs / 18.9kg	42.11lbs / 19.1kg	565 * 180 * 135mm
44.41.00104324	20	45.52lbs / 20.65kg	45.97lbs / 20.85kg	615 * 180 * 135mm


Gas Spring

Product Description

- Available in various sizes of 6", 8", 10", 12".
- High-quality sealing ring for a long product life of more than 30,000 times.
- Nitrogen inside the lift support gas spring can prevent the oxidation between the inside air and the lubricating oil.
- Even coating on the steel pipe and multi-layer plating of the gas rod provide strong anti-rust and anti-oxidation resistance.
- Suitable for upward and downward turning cabinet doors.



(Dimensions 1)



(Dimensions 2)



Lift Support Gas Spring



Down To Support Gas Spring

Information

Name	Gas Spring
Material	Steel / Damping Plastic
Finish	Electroplated / Sprayed

Support Force	10N – 300N
Installation	Side Installation

Specification

SKU	Product Name	Pipe Length (mm)	Stroke (mm)	Distance to Center (mm)	Net Weight (g)
44.43.01100106	6" Lift Support Gas Spring	60	30	125	85
44.43.01100108	8" Lift Support Gas Spring	85	57	178	95
44.43.01100110	10" Lift Support Gas Spring	120	92	248	110
44.43.01100112	12" Lift Support Gas Spring	145	117	298	118
44.43.01100206	6" Down To Support Gas Spring	60	30	125	88
44.43.01100208	8" Down To Support Gas Spring	85	57	178	100
44.43.01100210	10" Down To Support Gas Spring	120	92	248	114
44.43.01100212	12" Down To Support Gas Spring	145	117	298	130

Packaging Information

SKU	PCS/CTN	Net Weight / CTN (kg)	Gross Weight / CTN (kg)	Package Size (mm)
44.43.01100106	100	8.5	8.7	310 * 220 * 230
44.43.01100108	100	9.5	9.7	310 * 220 * 230
44.43.01100110	100	11.0	11.2	310 * 220 * 230
44.43.01100112	100	11.8	12.2	310 * 220 * 230
44.43.01100206	100	8.8	9.0	310 * 220 * 230
44.43.01100208	100	10.0	10.2	310 * 220 * 230
44.43.01100210	100	11.4	11.7	310 * 220 * 230
44.43.01100212	100	13.0	13.2	310 * 220 * 230

Base Cabinet Pull Out Basket

22.26.70102100 ⊕


Product Description

- Multi-functional, designed for organizing kitchen items.
- Convenient and quiet to use with a base with slides.
- Easy to clean with a draining tray.
- Chrome-plated steel with strong oxidation and rust resistance.
- Easy to install in minutes.




Base Cabinet Pull Out Basket


Diagram



(Front View)



(Top View)



(Side View)

Information

Name	Base Cabinet Pull Out Basket with Knife Holder and Utensil Bin-150
Material	Steel
Color	Silver

Finish	Chrome-plated
Slide	3-Section Ball-Bearing Full Extension
Application	Kitchen

Specification

SKU	Applicable Cabinet Size	N.W.(kg)
22.26.70102100	150mm / 6-12/127"	7.05lbs / 3.2kg

Packaging Information

SKU	PCS/CTN	G.W.(kg)	Package Size
22.26.70102100	1	8.16lbs / 3.7kg	W445 * D120 * H460mm



Furniture
Hardware



Kitchen
Hardware



Ironing
Board



Laundry
Room
Storage

Base Cabinet Pull Out Basket with Knife Holder and Utensil Bin


Product Description

- Multi-functional, designed for organizing kitchen items.
- Convenient and quiet to use with a base with slides.
- Easy to clean with a draining tray.
- Chrome-plated steel with strong oxidation and rust resistance.
- With a wooden knife fork holder.




Base Cabinet Pull Out Basket with Knife Holder and Utensil Bin


Diagram



(Front View)



(Top View)



(Side View)

Information

Name	Base Cabinet Pull Out Basket with Knife Holder and Utensil Bin	Finish	Chrome-plated
Material	Steel	Slide	3-Section Ball-Bearing Full Extension
Color	Silver	Application	Kitchen

Specification

SKU	Applicable Cabinet Size	A1	A2	N.W.(kg)
22.26.70102200	200mm / 7-7/8"	150	157.5	8.38lbs / 3.8kg
22.26.70102300	250mm / 9-7/8"	190	197.5	9.04lbs / 4.1kg
22.26.70102400	300mm / 11-4/5"	235	242.5	9.92lbs / 4.5kg
22.26.70102500	350mm / 13-3/4"	285	292.5	10.58lbs / 4.8kg
22.26.70102600	400mm / 15-3/4"	350	357.5	11.24lbs / 5.1kg

Packaging Information

SKU	PCS/CTN	G.W.(kg)	Package Size(mm)
22.26.70102200	1	9.48lbs / 4.3kg	445 * 170 * 460
22.26.70102300	1	10.36lbs / 4.7kg	445 * 215 * 460
22.26.70102400	1	11.46lbs / 5.2kg	445 * 255 * 460
22.26.70102500	1	12.35lbs / 5.6kg	445 * 305 * 460
22.26.70102600	1	13.23lbs / 6.0kg	445 * 370 * 460



Furniture Hardware



Kitchen Hardware



Ironing Board




Laundry Room Storage

180° Revolving Basket




22.20.80100200

Product Description

- The height of the revolving basket can be adjusted between 565-790mm.
- Sturdy and durable with plated finish for strong corrosion resistance and rust resistance.
- The height between two layers can be adjusted by bolts at will.
- Suitable for 800 mm wide cabinets.



Diagram



Information

Name	180° Revolving Basket	Color	Silver
Material	Steel	Adjustable Height	565-790mm
Finish	Chrome-plated	Application	Kitchen

Specification

SKU	Applicable Cabinet Size	N.W.(kg)	Size
22.20.80100200	800mm / 31-1/2"	7.28lbs / 3.3kg	W710 * D350 * H(565-790)mm

Packaging Information


SKU	PCS/CTN	G.W.(kg)	Package Size
22.20.80100200	1	8.82lbs / 4kg	W715 * D195 * H400mm




270° Revolving Basket

Product Description


- The height of the revolving basket can be adjusted between 565-790mm.
- Sturdy and durable with electroplated surfaces for strong corrosion resistance and rust resistance.
- The height between two layers can be adjusted by bolts at will.
- Available in diameters of 600, 710, and 810mm, suitable for cabinets with a width of 700, 800, and 900 mm respectively.




Diagram



(Front View)



(Top View)



(Side View)



270° Revolving Basket

Information

Name	270° Revolving Basket
Material	Steel
Surface Treatment	Chrome-plated

Color	Silver
Adjustable Height	565-790mm
Application	Kitchen

Specification

SKU	Applicable Cabinet Size	N.W.(kg)	Size
22.20.70100100	700mm / 27-1/2"	7.50lbs / 3.4kg	W600 * D600 * H(565-790)mm
22.20.70100200	800mm / 31-1/2"	9.04lbs / 4.1kg	W710 * D710 * H(565-790)mm
22.20.70100300	900mm / 35-2/5"	10.14lbs / 4.6kg	W810 * D810 * H(565-790)mm

Packaging Information


SKU	PCS/CTN	G.W.(kg)	Package Size
22.20.70100100	1	9.04lbs / 4.1kg	W605 * D185 * H510mm
22.20.70100200	1	11.02lbs / 5.0kg	W715 * D185 * H605mm
22.20.70100300	1	12.79lbs / 5.8kg	W815 * D185 * H690mm




360° Revolving Basket

Product Description


- The height of the revolving basket can be adjusted between 565-790mm.
- Sturdy and durable with plated finish for strong corrosion resistance and rust resistance.
- The height between two layers can be adjusted by bolts at will.
- Available in diameters of 440, 500, 600, and 710 mm, suitable for cabinets with a width of 500, 600, 700, and 800 mm respectively.



(Front View)



(Top View)



(Side View)



Information

Name	360° Revolving Basket	Color	Silver
Material	Steel	Adjustable Height	565-790mm
Finish	Chrome-plated	Application	Kitchen

Specification

SKU	Applicable Cabinet Size	N.W.(kg)	Size
22.20.60100000	500mm / 19-2/3"	5.73lbs / 2.6kg	W440 * D440 * H(565-790)mm
22.20.60100100	600mm / 23-3/5"	6.61lbs / 3.0kg	W500 * D500 * H(565-790)mm
22.20.60100200	700mm / 27-1/2"	8.16lbs / 3.7kg	W600 * D600 * H(565-790)mm
22.20.60100300	800mm / 31-1/2"	9.70lbs / 4.4kg	W710 * D710 * H(565-790)mm

Packaging Information


SKU	PCS/CTN	G.W.(kg)	Package Size
22.20.60100000	1	7.05lbs / 3.2kg	W445 * D210 * H445mm
22.20.60100100	1	8.16lbs / 3.7kg	W505 * D210 * H505mm
22.20.60100200	1	10.14lbs / 4.6kg	W605 * D185 * H605mm
22.20.60100300	1	12.13lbs / 5.5kg	W715 * D185 * H715mm




Dish Rack

Product Description

- Good hardness and abrasion resistance with polished stainless steel.
- The dual-tier design helps to store dishes and bowls.
- The open structure with a easily removable draining tray help you make a tidy and clean kitchen.
- The spring design allows easier and more convenient installation.



Diagram



Dish Rack

Information

Name	Dish Rack	Color	Silver
Material	Stainless Steel	Installation Type	Bolt Inserting Type
Finish	Chrome-plated	Application	Kitchen

Specification

SKU	Applicable Cabinet Size	Number of Upper Storage	Weight Capacity	Size	N.W.(kg)
22.22.90100200	500mm / 19-2/3"	16	2.20lbs / 10kg	D280 * W465 * H65mm	1.3
22.22.90100300	600mm / 23-3/5"	20	2.20lbs / 10kg	D280 * W565 * H65mm	1.5
22.22.90100400	700mm / 27-1/2"	24	2.20lbs / 10kg	D280 * W665 * H65mm	1.7
22.22.90100500	800mm / 31-1/2"	28	2.20lbs / 10kg	D280 * W765 * H65mm	2.0
22.22.90100600	900mm / 35-2/5"	32	2.20lbs / 10kg	D280 * W865 * H65mm	2.2
22.22.90100700	1000mm / 39-1/3"	36	2.20lbs / 10kg	D280 * W965 * H65mm	2.4

Packaging Information

SKU	PCS/CTN	G.W.(kg)	Size
22.22.90100200	5	8.6	L540 * W310 * H300mm
22.22.90100300	5	9.2	L640 * W310 * H300mm
22.22.90100400	5	10.9	L740 * W310 * H300mm
22.22.90100500	5	12.2	L840 * W310 * H300mm
22.22.90100600	5	13.4	L940 * W310 * H300mm
22.22.90100700	5	14.7	L1040 * W310 * H300mm



Detachable 2 Tier Under Sink Pull Out Sliding Organizer


Product Description

- Detachable double-layer pull-out design.
- Flexible installation position (left or right).
- Multi-layer plating: smooth and bright surface with strong anti-rust and anti-oxidation ability.
- Laser welding: smooth and solid welding joints, well-matched wires.
- Make full use of the space under the sink in the kitchen and bathroom cabinets.




VENACE INTELLIGENT
TECHNOLOGY INC.


Detachable 2 Tier Under Sink Pull Out Sliding Organizer



(Front View)



(Top View)



(Side View)

Information

SKU	Size	Upper Tier (mm)		Bottom Tier (mm)		Height (mm) (Slides Included)	Slides Length	N.W.(kg)
		Width	Depth	Width	Depth			
22.18.91000100	18"	178	437	275	457	376.3	16 "	7.50lbs / 3.4kg
22.18.91000200	21"	178	513	275	533	376.3	18"	8.82lbs / 4.0kg

Packaging Information

SKU	PCS/CTN	G.W.(kg)	Package Size (mm)
22.18.91000100	1	8.60lbs / 3.9kg	470 * 290 * 80
22.18.91000200	1	9.92lbs / 4.5kg	550 * 220 * 80





Magic Corner I


22.19.90200100+

Product Description


- It can maximize the space of the blind corner of the kitchen cabinet.
- It provides both durability and elegance with its heavy gauge wire construction.
- Dynamic pivot sliding hardware provides easy access to the areas of the cabinet blind corner.



(Front View)



(Top View)



(Side View)



VENACE INTELLIGENT TECHNOLOGY INC.

Magic Corner II

Information

Name	Magic Corner I	Color	Silver
Material	Steel	Applicable Cabinet Size	Width Greater than 860mm Depth Greater than 532mm
Finish	Chrome-plated	Application	Kitchen



Specification

SKU	Type	Applicable Cabinet Size	N.W.(kg)	Size
22.19.90200100	Left hand	900mm / 35-2/5"	43.65lbs / 19.8kg	W(860-960) * D480 * H540mm
22.19.90200200	Right hand	900mm / 35-2/5"	43.65lbs / 19.8kg	W(860-960) * D480 * H540mm

Packaging Information


SKU	PCS/CTN	G.W.(kg)	Package Size
22.19.90200100	1	50.07lbs / 22.71kg	W880 * D535 * H225mm
22.19.90200200	1	50.07lbs / 22.71kg	W880 * D535 * H225mm

Magic Corner II

22.20.80100200+

Product Description

- To maximize the space of the blind corner of your kitchen cabinet.
- Durable structure: exquisite wire structure and ball bearing slides to support up to 150 pounds.
- Easy to install in both left and right bottom blind corners of cabinets.



VENACE INTELLIGENT
TECHNOLOGY INC.

Magic Corner II

Information

Name	Magic Corner II
Material	Steel
Finish	Chrome-plated

Color	Silver
Applicable Cabinet Size	Width Greater than 650mm Height Greater than 600mm
Application	Kitchen

Specification

SKU	Applicable Cabinet Size	N.W.(kg)	Size
22.19.90200300	800mm / 31-1/2"	41.01lbs / 18.6kg	W(760-860) * D480 * H560mm

Packaging Information


SKU	PCS/CTN	G.W.(kg)	Package Size
22.19.90200300	1	44.10lbs / 20.70kg	W635 * D510 * H245mm



Spice Rack Pull Down Shelf

Product Description

- **BRING IT TO YOU:** Access to dish and tableware with gas-assisted 2-tier cabinet pull-down locking shelving system easily. The product can be pulled down 10.8-inches and pulled 10.8-inches out of your cabinets.
- **EXTRA DURABILITY:** Heavy-gauge wire construction adds durability and elegance to store spices utensils.
- **EASY INSTALLATION:** Easy to install and is designed for any wall cabinet with a width of 24", 28", 32", or 36".
- **INCLUDES:** one pull-down shelf system and mounting hardware.



Information

Name	Spice Rack Pull Down Shelf
Material	Steel
Finish	Chrome-plated

Color	Silver
Application	Kitchen

Specification

SKU	Applicable Cabinet Size	N.W.(kg)	Size
22.21.00201600	600mm / 23-3/5"	13.25lbs / 6.01kg	W560 * D275 * H586mm
22.21.00201700	700mm / 27-1/2"	14.00lbs / 6.35kg	W660 * D275 * H586mm
22.21.00201800	800mm / 31-1/2"	14.75lbs / 6.69kg	W760 * D275 * H586mm
22.21.00201900	900mm / 35-2/5"	15.54lbs / 7.05kg	W860 * D275 * H586mm

Packaging Information


SKU	PCS/CTN	G.W.(kg)	Package Size
22.21.00201600	1	14.13lbs / 6.41kg	W540 * D120 * H350mm
22.21.00201700	1	14.88lbs / 6.75kg	W640 * D120 * H350mm
22.21.00201800	1	15.63lbs / 7.09kg	W740 * D120 * H350mm
22.21.00201900	1	16.42lbs / 7.45kg	W840 * D120 * H350mm



Heightened Spice Rack Pull Down Shelf

Product Description

- **BRING IT TO YOU:** Access to dish and tableware with gas-assisted 2-tier cabinet pull-down locking shelving system easily. The product can be pulled down 10.8-inches and pulled 10.8-inches out of your cabinets.
- **EXTRA DURABILITY:** Heavy-gauge wire construction adds durability and elegance to store spices utensils.
- **EASY INSTALLATION:** Easy to install and is designed for any wall cabinet with a width of 24", 28", 32", or 36".
- **INCLUDES:** one pull-down shelf system and mounting hardware.



Information

Name	Heightened Spice Rack Pull Down Shelf
Material	Steel
Finish	Chrome-plated

Color	Silver
Application	Kitchen

Specification

SKU	Applicable Cabinet Size	N.W.(kg)	Size
22.21.00201601	600mm / 23-3/5"	14.55lbs / 6.60kg	W560 * D275 * H586mm
22.21.00201701	700mm / 27-1/2"	15.41lbs / 6.99kg	W660 * D275 * H586mm
22.21.00201801	800mm / 31-1/2"	16.20lbs / 7.35kg	W760 * D275 * H586mm
22.21.00201901	900mm / 35-2/5"	17.17lbs / 7.79kg	W860 * D275 * H586mm

Packaging Information



SKU	PCS/CTN	G.W.(kg)	Package Size
22.21.00201601	1	15.43lbs / 7.00kg	W540 * D120 * H350mm
22.21.00201701	1	16.29lbs / 7.39kg	W640 * D120 * H350mm
22.21.00201801	1	17.09lbs / 7.75kg	W740 * D120 * H350mm
22.21.00201901	1	18.06lbs / 8.19kg	W840 * D120 * H350mm



Dish Rack Pull Down Shelf

Product Description

- **BRING IT TO YOU:** Access to dish and tableware with gas-assisted 2-tier cabinet pull-down locking shelving system easily. The product can be pulled down 10.8-inches and pulled 10.8-inches out of your cabinets.
- **EXTRA DURABILITY:** Heavy-gauge wire construction adds durability and elegance to store spices utensils.
- **EASY INSTALLATION:** Easy to install and is designed for any wall cabinet with a width of 24", 28", 32", or 36".
- **INCLUDES:** one pull-down shelf system and mounting hardware.



Information

Name	Dish Rack Pull Down Shelf
Material	Steel
Finish	Chrome-plated

Color	Silver
Application	Kitchen

Specification

SKU	Applicable Cabinet Size	N.W.(kg)	Size
22.21.00201602	600mm / 23-3/5"	13.78lbs / 6.25kg	W560 * D275 * H586mm
22.21.00201702	700mm / 27-1/2"	14.55lbs / 6.60kg	W660 * D275 * H586mm
22.21.00201802	800mm / 31-1/2"	15.26lbs / 6.92kg	W760 * D275 * H586mm
22.21.00201902	900mm / 35-2/5"	16.07lbs / 7.29kg	W860 * D275 * H586mm

Packaging Information


SKU	PCS/CTN	G.W.(kg)	Package Size
22.21.00201602	1	14.66lbs / 6.65kg	W540 * D120 * H350mm
22.21.00201702	1	15.43lbs / 7.00kg	W640 * D120 * H350mm
22.21.00201802	1	16.14lbs / 7.32kg	W740 * D120 * H350mm
22.21.00201902	1	16.95lbs / 7.69kg	W840 * D120 * H350mm




Multi-Functional Pull Down Shelf

Product Description

- **BRING IT TO YOU:** Access to dish and tableware with gas-assisted 2-tier cabinet pull-down locking shelving system easily. The product can be pulled down 10.8-inches and pulled 10.8-inches out of your cabinets.
- **EXTRA DURABILITY:** Heavy-gauge wire construction adds durability and elegance to store spices utensils.
- **EASY INSTALLATION:** Easy to install and is designed for any wall cabinet with a width of 24", 28", 32", or 36".
- **INCLUDES:** one pull-down shelf system and mounting hardware.




(Front View)



(Upper Dish Rack)

(Bottom Dish Rack)



(Side View)



Information

Name	Multi-Functional Pull Down Shelf
Material	Steel
Finish	Chrome-plated

Color	Silver
Application	Kitchen

Specification

SKU	Applicable Cabinet Size	N.W.(kg)	Size
22.21.00201603	600mm / 23-3/5"	13.56lbs / 6.15kg	W560 * D275 * H586mm
22.21.00201703	700mm / 27-1/2"	14.40lbs / 6.53kg	W660 * D275 * H586mm
22.21.00201803	800mm / 31-1/2"	15.21lbs / 6.90kg	W760 * D275 * H586mm
22.21.00201903	900mm / 35-2/5"	16.05lbs / 7.28kg	W860 * D275 * H586mm

Packaging Information

SKU	PCS/CTN	G.W.(kg)	Package Size
22.21.00201603	1	14.44lbs / 6.55kg	W540 * D120 * H350mm
22.21.00201703	1	15.28lbs / 6.93kg	W640 * D120 * H350mm
22.21.00201803	1	16.09lbs / 7.30kg	W740 * D120 * H350mm
22.21.00201903	1	16.93lbs / 7.68kg	W840 * D120 * H350mm




Multi-Tier Larder Unit, Sliding Pantry Unit

Product Description


- Made of chrome steel for high durability and load capacity.
- Innovative and practical design.
- Slides for easy access and smooth workflow.




Diagram



(Front View)



(Top View)



(Side View)

Information

Name	Multi-Tier Larder Unit, Sliding Pantry Unit
Material	Steel

Finish	Chrome-plated
Color	Silver

Product Information

SKU	Applicable Cabinet Size	Number of Layers	Number of Shelves	Size	N.W.(kg)
4020101	500mm / 19-2/3"	4	8	L530 * W385 * H(1250-1650)mm	25
4020102	500mm / 19-2/3"	5	10	L530 * W385 * H(1650-2050)mm	25
4020103	500mm / 19-2/3"	6	12	L530 * W385 * H(2050-2450)mm	25
4020201	600mm / 23-3/5"	4	8	L530 * W485 * H(1250-1650)mm	30
4020202	600mm / 23-3/5"	5	10	L530 * W485 * H(1650-2050)mm	30
4020203	600mm / 23-3/5"	6	12	L530 * W485 * H(2050-2450)mm	30