

Multi-Tier Larder Unit, Sliding Pantry Unit



【PRODUCT NAME】

Multi-Tier Larder Unit, Sliding Pantry Unit


【PRODUCT DESCRIPTION】

The Multi-Tier Larder Unit, Sliding Pantry Unit is a system with two sets of shelves to help keep your kitchen pantry organized and accessible. The intelligent pull-out technology draws the interior cabinet shelves automatically forward to provide an unobstructed view and easier access to items stored in the back. Shelves located on the door, supported by the cabinet floor, not the hinges, provide quick visibility of the items you use most.


PRODUCT FEATURES

- :: Made of chrome steel for high durability and load capacity.
- :: Innovative and practical design.
- :: 15" Thickened slides for easy access and smooth workflow.
- :: Wire diameters of $\varnothing 6,4$, $\varnothing 4,9$, $\varnothing 2,8$ respectively, to ensure more stable after full load


PRODUCT SPECIFICATION



Front View



Side View



Top View

Diameter of wire: \varnothing 6.4 \varnothing 4.9 \varnothing 2.8

| SKU | Width of Cabinet | Number of Layers | Number of Shelves | Product Size |
|---------|------------------|------------------|-------------------|---------------------------|
| 4020101 | 500 | 4 | 8 | L530*W385*H(1250-1650) mm |
| 4020102 | 500 | 5 | 10 | L530*W385*H(1650-2050) mm |
| 4020103 | 500 | 6 | 12 | L530*W385*H(2050-2450) mm |
| 4020201 | 600 | 4 | 8 | L530*W485*H(1250-1650) mm |
| 4020202 | 600 | 5 | 10 | L530*W485*H(1650-2050) mm |
| 4020203 | 600 | 6 | 12 | L530*W485*H(2050-2450) mm |

NOTES FOR ORDERING

:: The main frame is iron with chrome plating, and the base is iron spraying. Please specify if stainless steel is preferred.



:: This product has two size applied for 500mm and 600mm width of cabinet and each size have 3 items No. Please choose the correct item No.




INSTALLATION GUIDE

Step1: As the size revealed in the picture below, drill 4 small holes Ø2.5mm respectively on the top cabinet panel.

Step2: As the size revealed in the picture below, drill 12 small holes Ø2.5 respectively on and bottom cabinet panel.




Step3: Install L-shaped iron.




Step4: Install slip frame.

A: Screw the loaded screws out of the slip frame, attach L-shaped bracket with castors into the frame tube as illustrated in the picture and screw up the screws but it is not necessary to tighten them.


B: Fix the frame installed in step A to the L-shaped iron sheets with 4 screws M6*25.




Step5: Fix the runners onto the bottom frame panel with 12 pcs tapping screws ST3.5*16




Step6: Fix the U-iron onto the top cabinet panel with 4 tapping screws ST3.5*16




Step7: Adjust the L-shaped bracket with castors, make sure the castors are put into the U-shaped slot completely and tighten the screws with a screw reamer.




Step8: Install the runner protective cover.




Step9: Install panel hangstrip



Step10: Screw the screws out of the connecting strip, as shown in the picture, connect the slip frame and the top of the panel hangstrip with the connecting strip (attention: the connecting strip has the differentiation from left and right), and tighten the screws.



Step11: Screw the screws out of the connecting strip, as shown in the picture, connect the slip frame and the bottom of the panel hangstrip with the connecting strip (attention: the connecting strip has the differentiation from left and right), and tighten the screws.



PACKLING LIST

| | | | |
|---|-------------------------|---|---------------------------|
| 1 | U-Iron |  | 1 |
| 2 | L-shaped bracket |  | 1 |
| 3 | Connecting strip |  | 2 |
| 4 | Runner protective cover |  | 2 |
| 5 | Runner |  | 1 Pair |
| 6 | L-shaped iron |  | 2 |
| 7 | ST3.5*16 tapping screw |  | 16 |
| 8 | ST3.5*25 tapping Screw |  | (small basket amount*2)+4 |



SHIPPING INFORMATION

| SKU | NET. WEIGHT (kg) | GROSS WEIGHT (kg) | PACKAGE SIZE (mm) | Quantity 20'GP | Quantity 40'GP | Quantity 40'HQ |
|---------|------------------|-------------------|-------------------|----------------|----------------|----------------|
| 4020101 | 15.60 | 16.50 | 120*390*115 | 1030 | 1390 | 1570 |
| 4020102 | 15.60 | 16.50 | 160*390*115 | 1030 | 1390 | 1570 |
| 4020103 | 15.60 | 16.50 | 180*390*115 | 1030 | 1390 | 1570 |
| 4020201 | 18.00 | 19.10 | 120*540*115 | 890 | 1200 | 1360 |
| 4020202 | 18.00 | 19.10 | 160*540*115 | 890 | 1200 | 1360 |
| 4020203 | 18.00 | 19.10 | 200*540*115 | 890 | 1200 | 1360 |

